

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
ACTi KCM-3211	5.04.06	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	2 / 2 (VMD)	✓	Type 1 or 2	Two-Way	✓		Admin
ACTi KCM-3911	5.04.06	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	2 / 2 (VMD)	✓	Type 1 or 2	Two-Way	✓		Admin
ACTi TCM-1231	V4.06.09, V4.10.07	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	Two-Way	-		Admin
ACTi TCM-1511	V4.06.09, V4.10.07	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	Two-Way	-		Admin
ACTi TCM-3011	V4.08.05, V4.10.07	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	Two-Way	-		Admin
ACTi TCM-3411	V4.07.15, V4.10.07	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	Two-Way	-		Admin
ACTi TCM-3511	V4.07.15, V4.10.07	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	Two-Way	-		Admin
ACTi TCM-5311	V4.04.06, V4.10.07	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	Two-Way	-		Admin
ACTi TCM-5601	V4.06.09, V4.10.07	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	Two-Way	-		Admin

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
ACTi TCM-6630	4.10.07	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	✓	Type 1 or 2	Two-Way	✓		Admin
ACTi TCM-7411	V4.07.15, V4.10.07	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	Two-Way	-		Admin
APPRO LC-7226 series	1.23, 1.31	C	1	JPEG MPEG4	-		0 / 0 (VMD)	✓	Type 2	One-Way	-		admin
Arecont AV1115	65200	C	1	JPEG H.264	1 JPEG 1 H.264	Y	1 / 1 (VMD)	-	-	-	-		-
Arecont AV1125	65200	C	1	JPEG H.264	1 JPEG 1 H.264	Y	1 / 1 (VMD)	-	-	-	-		-
Arecont AV3135	65130, 65136	C	1	JPEG H.264	1 JPEG 1 H.264		1 / 1 (VMD)	-	-	-	-		-
Arecont AV8185	65031, 65043	C	4	JPEG H.264	-		0 / 0	-	-	-	-		-
Axis P1343	5.06, 5.22.2, 5.40.4	C	1	JPEG H.264	1 JPEG 2 H.264		1 / 1 (P) (VMD) (A, Ta)	-	-	Two-Way	-		root
Axis P1344	5.06, 5.22.2, 5.40.4	C	1	JPEG H.264	1 JPEG 2 H.264		1 / 1 (P) (VMD) (A, Ta)	-	-	Two-Way	-		root
Axis P3304	5.11, 5.40.4	C	1	JPEG H.264	1 JPEG 2 H.264		1 / 1 (P) (VMD) (A, Ta)	-	-	One-Way	-		root

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
Axis P3343	5.05, 5.20.2, 5.40.4	C	1	JPEG H.264	1 JPEG 2 H.264		1 / 1 (P) (VMD) (A, C, Ta)	-	-	One-Way	-		root
Axis P3344	5.05, 5.07, 5.20.2, 5.40.4	C	1	JPEG H.264	1 JPEG 2 H.264		1 / 1 (P) (VMD) (A, C, Ta)	-	-	Two-Way	-		root
Axis P3346	5.20, 5.40.4	C	8	JPEG H.264	1 JPEG 2 H.264		1 / 1 (P) (VMD) (A, Ta)	-	-	Two-Way	-		root
Axis P3346-E	5.20, 5.40.4	C	8	JPEG H.264	1 JPEG 2 H.264		1 / 1 (P) (VMD) (A, Ta)	-	-	Two-Way	-		root
Axis P3367-V	5.40.3	C	8	JPEG H.264	1 JPEG 2 H.264	Y	1 / 1 (P) (VMD) (A, Ta)	-	-	Two-Way	-		root
Axis P3367-VE	5.40.3	C	8	JPEG H.264	1 JPEG 2 H.264	Y	1 / 1 (P) (VMD) (A, Ta)	-	-	Two-Way	-		root
Eneo GLC-1601	1.31	C	1	JPEG MPEG4			0 / 0 (VMD)	✓	Type 2	One-Way	-		admin

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
Honeywell HCD5MIHX	13.1.2	C	1	JPEG H.264	-	Y	1 / 0	-	-	One-Way	-		admin
Honeywell HD3MDIH	11.0.7	C	1	JPEG H.264	-	Y	1 / 0	-	-	One-Way	-		admin
Honeywell HD4MDIH	12.0.7	C	1	JPEG H.264	-	Y	1 / 0	-	-	One-Way	-		admin
IQEye 4 series	3.0/3, 3.0/6, 3.3/1	C	1	JPEG	-		0 / 0 (VMD)	-	-	-	-		root
IQEye 700 series	2.6/114, 2.6/2 2.7/3, 2.8/2, 2,8/6, 3.0/2, 3.0/4, 3.1/2	C	1	JPEG	-		1 / 1 (VMD)	-	-	-	-		root
IQEye 732	3.1/2, 3.2/4, 3.3/2	C	1	JPEG H.264	1 JPEG 1 H.264		1 / 1 (VMD)	-	-	One-Way	-		root
JVC VN-V25U	1.00, 2.02, 2.03	C	1	JPEG MPEG4	-		2 / 2 (VMD)	-	-	-	-		admin
JVC VN-V26U	1.00, 2.02, 2.03	C	1	JPEG MPEG4	-		2 / 2 (VMD)	-	-	Two-Way	-		admin
JVC VN-V685U	1.00, 3.03, 3.04	C	1	JPEG MPEG4	1 JPEG 1 MPEG		2 / 2 (VMD)	✓	Type 2	One-Way	✓		admin

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
JVC VN-V686BU/VN-V686WPBU	3.03, 3.04	C	1	JPEG MPEG4	1 JPEG 1 MPEG		2 / 2 (VMD)	✓	Type 2	-	✓		admin
Panasonic WV-SF132	1.03	C	1	JPEG H.264	-		0 / 0 (VMD)	-	-	-	-		admin
Panasonic WV-SF135	1.03	C	1	JPEG H.264	-	Y	0 / 0 (VMD)	-	-	-	-		admin
Panasonic WV-SW152	1.03	C	1	JPEG H.264	-	Y	0 / 0 (VMD)	-	-	-	-		admin
Panasonic WV-SW155	1.03	C	1	JPEG H.264	-	Y	0 / 0 (VMD)	-	-	-	-		admin
Pelco Endura NET5401T	1.4.9, 1.7.8, 1.7.20	VS	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	✓	Type 2	One-way	✓		admin
Pelco Endura NET5402T	1.4.9, 1.7.8, 1.7.20	VS	2	JPEG H.264	2 JPEG 2 H.264		1 / 1	✓	Type 2	One-way	✓		admin
Pelco Endura NET5404T	1.4.9, 1.7.8, 1.7.20	VS	4	JPEG H.264	2 JPEG 2 H.264		1 / 1	✓	Type 2	One-way	✓		admin
Pelco ESTI3100	1.7.8	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		7 / 1	✓	Type 2	One-Way	✓		admin
Pelco ESTI314	1.7.8	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		7 / 1	✓	Type 2	One-Way	✓		admin
Pelco ESTI335	1.7.8	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		7 / 1	✓	Type 2	One-Way	✓		admin

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
Pelco ESTI350	1.7.8	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		7 / 1	✓	Type 2	One-Way	✓		admin
Pelco ESTI6100	1.7.8	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		7 / 1	✓	Type 2	One-Way	✓		admin
Pelco ESTI635	1.7.8	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		7 / 1	✓	Type 2	One-Way	✓		admin
Pelco ESTI650	1.7.8	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		7 / 1	✓	Type 2	One-Way	✓		admin
Pelco IDE20	1.3.4.9111, 1.4.9, 1.5.9, 1.7.41	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	-	-		admin
Pelco IEE20	1.5.9, 1.7.41	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1		-	-	-		admin
Pelco IM10	1.3.10.9260 , 1.4.9, 1.5.9, 1.7.41	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1		-	-	-		admin
Pelco IMS0	1.3.10.9260 , 1.4.9, 1.5.9, 1.7.41	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1		-	-	-		admin
Pelco IX10	1.3.7, 1.4.9, 1.5.9, 1.7.41	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	-	-		admin

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
Pelco IXS0	1.3.7, 1.4.9, 1.5.9, 1.7.41	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1	-	-	-	-		admin
Pelco TI 106	1.7.8	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	One-Way	-		admin
Pelco TI 3100	1.7.8	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	One-Way	-		admin
Pelco TI 314	1.7.8	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	One-Way	-		admin
Pelco TI 335	1.7.8	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	One-Way	-		admin
Pelco TI 350	1.7.8	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	One-Way	-		admin
Pelco TI 6100	1.7.8	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	One-Way	-		admin
Pelco TI 614	1.7.8	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	One-Way	-		admin
Pelco TI 635	1.7.8	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	One-Way	-		admin
Pelco TI 650	1.7.8	C	1	JPEG H.264	2 JPEG 2 H.264		1 / 1	-	-	One-Way	-		admin
Samsung SNB-2000	1.10	C	1	JPEG MPEG4 H.264	-		2 / 2 (OD) (Ta, Tr)	-	-	Two-Way	-		root
Samsung SNB-3000	1.10	C	1	JPEG MPEG4 H.264	-		2 / 2 (OD) (Ta, Tr)	-	-	Two-Way	-		root

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
Samsung SNP-3371	1.00	C	1	JPEG MPEG4 H.264	-		4 / 2 (VMD)	✓	Type 2	Two-Way	✓		admin
Samsung SNV-3120	1.24	C	1	JPEG MPEG4 H.264	-		0 / 1	✓	Type 2	One-Way	✓		admin
Samsung SPE-100	1.20	VS	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		0 / 1	✓	Type 2	One-Way	✓		admin
Samsung SPE-400	1.20	VS	4	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		0 / 0	✓	Type 2	One-Way	✓		admin
Siqura HSD626	3.9.0	C	1	JPEG MPEG4 H.264	1 JPEG 1 MPEG 1 H.264	Y	8 / 1 (VMD)	✓	Type 2	Two-Way	✓		admin
Sony SNC-DH120	1.13.00, 1.50.00	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD) (Ta)	✓	Type 2	-	✓		admin
Sony SNC-EP550	1.51.00	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	2 / 1 (VMD) (Va)	✓	Type 1 & 2	Two-Way	✓		admin
Sony SNC-EP550	1.51.00	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	2 / 1 (VMD) (Va)	✓	Type 1 & 2	Two-Way	✓		admin
Toshiba IK-WB80A	0100c	C	1	JPEG MPEG4	1 JPEG 2 MPEG	Y	1 / 1 (VMD)	✓	Type 2	Out	-		root

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
Vivotek FD8134	0106b	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 0 (VMD) (TA)	-	-	One-Way	-		root
Vivotek FD8162	0101a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 1 (VMD)	-	-	One-Way	-		root
Vivotek FD8162V	0102c	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 0 (VMD) (TA)	-	-	One-Way	-		root
Vivotek FD8361	0203a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 1 (VMD) (TA)	-	-	One-Way	-		root
Vivotek FD8361L	0203a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 1 (VMD) (TA)	-	-	One-Way	-		root
Vivotek FD8362(E)	0101a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 1 (VMD) (TA)	-	-	One-Way	-		root
Vivotek IP8151P	0301e	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 1	-	-	One-Way	-		root
Vivotek IP8162P	0101h	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 1	-	-	One-Way	-		root
Vivotek IP8332	0106c	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 0 (VMD) (TA)	-	-	One-Way	-		root

Device Name	Supported Firmware	Device Type	Video Channels	Video Format	Multi Streams	Megapixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
Vivotek IP8352	0101a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 1 (VMD) (TA)	-	-	One-Way	-		root
Vivotek IP8362	0102e	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 1 (VMD) (Ta)	-	-	One-Way	-		root
Vivotek MD8562	0103a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 0 (VMD) (Ta)	-	-	One-Way	-		root
Vivotek MD8562D	0103a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 0 (VMD) (Ta)	-	-	One-Way	-		root
Vivotek SD8362E	0103a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264	Y	1 / 1 (VMD)	-	-	One-Way	-		root
Vivotek SD83x1E	0101a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	One-Way	-		root
Vivotek SD83x2E	0101a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	One-Way	-		root
Vivotek SD83x3E	0101a	C	1	JPEG MPEG4 H.264	2 JPEG 2 MPEG 2 H.264		1 / 1 (VMD)	-	-	One-Way	-		root